

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90	(plug adj in or API) same TCP/IP with (kernal or operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 15:45
L2	36	(plug adj in or API) same TCP/IP with (kernal or operating adj system) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 15:45
L3	18	(plug adj in or API) same TCP/IP with (kernal or operating adj system) same server same ((web or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 15:57
L4	1	"6832260".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:09
L5	1	"4403286".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:01
L6	1	"6658480".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:02
L7	1	"6389479".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:02
L8	1	"5951650".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:02
L9	1	"5923854".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:03
L10	1	"5923854".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:03
L11	1	"5917997".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:04
L12	1	"5675739".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:04
L13	1	"5548723".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:05
L14	1	"5515508".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:06
L15	1	"5031089".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:06
L16	1	"4577272".PN.	USPAT; USOCR	ADJ	ON	2005/08/16 16:06
L17	744	TCP/IP with (kernel or operating adj system) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:10
L18	38	TCP/IP with (kernel or operating adj system) same server same (plug adj in or API)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:23

L19	1677	(plug adj in or API) same (kernel or operating adj system) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:24
L20	740	(plug adj in or API) with (kernel or operating adj system) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:24
L21	38	TCP/IP same (plug adj in or API) with (kernel or operating adj system) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:24
L22	38	TCP/IP with (kernel or operating adj system) same (plug adj in or API) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:54
L39	2	"6732175".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/16 16:43
L42	20	TCP/IP with (kernel or operating adj system) with (plug adj in or API) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:57
L43	1	TCP/IP with (kernel) with (plug adj in or API) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:58
L44	87	(kernel) with (plug adj in or API) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:58
L45	4	(kernel) with (plug adj in) same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 16:58
S1	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) same protocol adj type adj request	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:45
S2	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) same (protocol adj type adj request)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:46
S3	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (protocol adj type adj request)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:54
S4	50	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:22
S5	0	((mixe\$4 or multiple or different) adj platform\$4) same (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:49

S6	32	((mixe\$4 or multiple or different) adj (platform\$4 or protocol)) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:50
S7	2	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:56
S8	245	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (transaction or request near4 type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:55
S9	136	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:55
S10	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:55
S11	1	(QoS or quality adj of adj service) same (type adj request) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 16:56
S12	98	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:23
S13	1	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same client same server.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:50
S14	9	client same server same (QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:23
S15	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:03
S16	2	client same server same (type near3 request) same ((service or application) adj (classif\$9 or categor\$6))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:03

S17	6	client same server same (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and policy adj rule\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:04
S18	32	((mixe\$4 or multiple or different) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:32
S19	0	((mixe\$4 or multiple or different) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and (compati\$6 adj application)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:33
S20	28	((mixe\$4 or multiple or different) adj platform\$4) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and (compati\$6 near4 application)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:33
S21	32	((mixe\$4 or multiple or different) adj (platform\$4 or protocol)) and (type near3 request) and ((service or application) adj (classif\$9 or categor\$6)) and protocol\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:34
S22	16	(QoS or quality adj of adj service) same ((transaction or request) near4 type) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:34
S23	13	(QoS or quality adj of adj service) and (type adj request) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:44
S24	44	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:51
S25	0	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2))) same client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:51
S26	17	((classif\$4 or categor\$6) adj (type adj4 (request\$4 or transaction\$2))) and client same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:55
S27	1	"6212546".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:56
S28	1	"6253248".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:56

S29	1	"5812768".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/09 17:56
S30	0	("BASKEY-MIKE-EDWARD.inv."). PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2004/01/12 09:10
S31	0	BASKEY-MIKE-EDWARD.inv.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:11
S32	0	HYNH-LAP-THIET.inv.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:12
S33	5	BRABSON-ROY-FRANK.inv.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:13
S34	9	HUYNH-LAP-THIET.inv.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:17
S35	7	YOCOM-PETER-BERGERSEN.inv.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:24
S36	0	370/235.ccls. and plug adj in same server and (type adj4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:27
S37	0	370/235.ccls. and plug adj in same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:27
S38	280	370/235.ccls. and server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:27
S39	0	370/235.ccls. and server same plug adj in	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:27
S40	14	709/228.ccls. and plug adj in same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:28
S41	12	709/228.ccls. and plug adj in same server and type same (message or content or request)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:39
S42	12	709/228.ccls. and plug adj in same server and (type same (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:39
S43	8	709/228.ccls. and plug adj in same server and (type near4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:39
S44	7	709/228.ccls. and plug adj in same server and (type adj4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:39

S45	2	709/250.ccls. and plug adj in same server and (type adj4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:39
S46	2	709/232.ccls. and plug adj in same server and (type adj4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:43
S47	1	370/235.ccls. and server and plug adj in	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:46
S48	16	370/235.ccls. and server same (type adj4 (message or content or request))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/12 09:47
S49	3	TCP/IP adj kernel same server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:36
S50	3	server same application\$3 same TCP/IP adj kernel	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:36
S51	204	server same application\$3 and ((different or mixe\$2) adj platform\$2) and (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:38
S52	4	server same application\$3 and ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:38
S53	3	server same application\$3 and ((different or mixe\$2) adj platform\$2) same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:41
S54	0	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:41
S55	1	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:41
S56	37	server same application\$3 same ((different or mixe\$2) adj platform\$2) and (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:48
S57	5853	server same application\$3 same (plug adj in\$2 or handle\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:52
S58	150	server same application\$3 same (plug adj in\$2 or handle\$4).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:50

S59	1	server same application\$3 same (plug adj in\$2 or handle\$4).ab. and (classif\$9 adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:51
S60	1176	server same application\$3 same (plug adj in\$2 or handle\$4) and (type adj2 (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:53
S61	1623	server same application\$3 same (plug adj in\$2 or handle\$4) and (type near3 (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:53
S62	141	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:53
S63	13	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:56
S64	0	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)) same ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 08:56
S65	9	server same application\$3 same (plug adj in\$2 or handle\$4) same (type near3 (message or content)) and ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 09:00
S66	26	server same application\$3 same (plug adj in\$2 or handle\$4) same ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 09:02
S67	0	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) same ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 09:02
S68	0	server same application\$3 same (plug adj in\$2 or handle\$4) and (call\$4 adj function) same ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 09:02
S69	9	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:47
S70	0	load adj management same server same plug adj in\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:01

S71	0	load adj management same server same plug adj in\$2 same traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:02
S72	0	load adj management and server same plug adj in\$2 same traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:02
S73	0	load adj management and server adj plug adj in\$2 same traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:02
S74	0	(load adj management) and (server same plug adj in\$2) and traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:03
S75	0	(load adj management) and (server same plug adj in\$2) and traffic near3 load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:03
S76	14	(server same plug adj in\$2) and traffic near3 load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:11
S77	0	(server same plug adj in\$2) and traffic near3 load\$4 same ((mixe\$4 or different) adj platform\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:12
S78	1	(server same plug adj in\$2) and traffic near3 load\$4 and ((mixe\$4 or different) adj platform\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:13
S79	68	(server same plug adj in\$2) and ((mixe\$4 or different) adj platform\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:14
S80	2	(server same plug adj in\$2) and ((mixe\$4 or different) adj platform\$4).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:15
S81	2	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:16
S82	2	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:16
S83	1	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4) and traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:17
S84	1	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4) and traffic adj load	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:17
S85	68	(server same (plug adj in or add adj in)) and ((mixe\$4 or different) adj platform\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:17

S86	0	(servlet or servelet) same traffice adj load\$4 same process\$6 same server same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:53
S87	0	(servlet or servelet) and traffice adj load\$4 same process\$6 same server same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:53
S88	0	(servlet or servelet) same process\$6 same server same (type adj (message or content)) and traffic adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:54
S89	0	(servlet or servelet) same process\$6 same server same (type adj (message or content)) and load\$4 adj management	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:54
S90	3	(servlet or servelet) same process\$6 same server same ((mixe\$4 or different) adj platform\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:54
S91	14	(servlet or servelet) same process\$6 same server same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:59
S92	0	(servlet or servelet) same traffic same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 14:59
S93	0	(servlet or servelet) same load\$4 adj balanc\$4 same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:00
S94	0	(servlet or servelet) and traffic adj load\$4 same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:01
S95	0	(servlet or servelet) and load\$4 near\$4 manag\$4 same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:01
S96	2	(servlet or servelet) and load\$4 adj balanc\$4 same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:01
S97	22	(servlet or servelet) and load same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:20
S98	0	(servlet or servelet) and traffic same flow same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:20
S99	4	(servlet or servelet) and traffic same (type adj (message or content))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:57

S10 0	0	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and (type adj request) same (servelet or servelet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:23
S10 1	0	(QoS or quality adj of adj service) and ((transaction or request) near4 type) same (servelet or servlet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:23
S10 2	30	(QoS or quality adj of adj service) and ((transaction or request) near4 type) and (servelet or servlet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:23
S10 3	0	client same server same (QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type) and (servelet or servlet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:24
S10 4	15	(QoS or quality adj of adj service) same (service adj level or service adj level adj agreement) and ((transaction or request) near4 type) and (servelet or servlet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:24
S10 5	30	(QoS or quality adj of adj service) and ((transaction or request) near4 type) and (servelet or servlet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:25
S10 6	3	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3) and (server adj load\$4 or workload\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:47
S10 7	1	server same application\$3 same (plug adj in\$2 or handle\$4) same (call\$4 adj function) and ((different or mixe\$4) adj platform\$3) and server adj load\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:56
S10 8	0	(servelet or servelet) and traffic same (type adj (message or content)) same (server adj load or workload\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:57
S10 9	0	(servelet or servelet) and traffic same (type adj (message or content)) and (server adj load or workload\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:58
S11 0	43	(servelet or servelet) and (type adj (message or content)) and (server adj load or workload\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:58

S11 1	3	(servlet or servelet) same (type adj (message or content)) and (server adj load or workload\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/13 15:58
S11 2	0	server same plug adj2 in\$3 same classif\$6 same application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 13:42
S11 3	0	server same plug adj2 in\$3 and classif\$6 same application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 13:42
S11 4	60	server same plug adj2 in\$3 and classif\$6 and application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 13:44
S11 5	44	@ad<"20001020" and server same plug adj2 in\$3 and classif\$6 and application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 13:50
S11 6	1	@ad<"20001020" and server same plug adj2 in\$3 same application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 13:50
S11 7	62	@ad<"20001020" and server same plug adj2 in\$3 and application adj level	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 15:05
S11 8	2	"6038603".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 15:06
S11 9	2	"6697849"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/09/11 15:06
S12 0	1	"6289378".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/13 09:55
S12 1	1	"6351748".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/13 09:56
S12 2	1	"6304892".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/14 09:29
S12 3	1	"5951694".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/14 10:08
S12 4	1	"6728748".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/14 10:08

S12 5	54	server with kernel same TCP/IP same application	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:08
S12 6	46	server with kernel same TCP/IP same ((web\$4 or server\$4) with application)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:08
S12 7	46	server with kernel same TCP/IP same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:10
S12 8	0	server with (kernel or operating adj system with kernel) same (plug adj in) same TCP/IP same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:11
S12 9	0	server with (kernel or operating adj system with kernel) same (plug adj in) same TCP/IP and((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:11
S13 0	0	server with (kernel or operating adj system with kernel) same (plug adj in) and TCP/IP and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:12
S13 1	1	server with (kernel or operating adj system with kernel) and (plug adj in) same TCP/IP and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:12
S13 2	6	server same (kernel or operating adj system with kernel) and (plug adj in) same TCP/IP and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:16
S13 3	98	server same (kernel or operating adj system with kernel) and (plug adj in) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:16
S13 4	9	server same (kernel or operating adj system with kernel) same (plug adj in) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:16
S13 5	9	server same (kernel or operating adj system with kernel) same (plug adj in) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:24
S13 6	23	(kernel or operating adj system with kernel) same (plug adj in) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:31

S13 7	605	(kernel or operating adj system with kernel) same (plug adj in or API) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:32
S13 8	161	server same (kernel or operating adj system with kernel) same (plug adj in or API) and ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:32
S13 9	90	server same (kernel or operating adj system with kernel) same (plug adj in or API) same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:32
S14 0	50	server with (kernel or operating adj system with kernel) same (plug adj in or API) same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:32
S14 1	17	server with (kernel or operating adj system with kernel) with (plug adj in or API) same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:43
S14 2	0	server with (kernel or operating adj system with kernel) with (plug adj in or API) same TCP/IP same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 10:43
S14 3	8	server same (kernel or operating adj system with kernel) same (plug adj in or API) same TCP/IP same ((web\$4 or server\$4) with application\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 13:38
S14 4	129	client same server same (e-mail\$2 or email\$2 or electronic adj mail) same attach\$5 same indicat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 13:39
S14 5	8	client same server same (e-mail\$2 or email\$2 or electronic adj mail) same attach\$5 same (open or read\$4) with indicat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/16 14:18